




Göran Kronvall projects

Research focus of Göran Kronvall projects.

Antimicrobial susceptibility testing using disc diffusion methods (Göran Kronvall)

Species-related interpretive breakpoints were introduced on a broad scale at the clinical microbiology laboratory in Lund, Sweden, in the late 1970:ies by Göran Kronvall, at that time responsible for clinical bacteriology laboratory services in Lund.



Antimicrobial susceptibility testing using disc diffusion methods, E. Photo: Göran Kronvall

Antimicrobial susceptibility testing using disc diffusion methods, E.

NRI – Normalized Resistance Interpretation

Let us ask ourselves: Which part of an inhibition zone diameter or MIC distribution (species-wise) for a given antimicrobial is unaffected by the development of resistance?

Answer: The high-zone (or the low MIC) side of the most susceptible population of strains, representing the wild-type population. When resistance occurs in an isolate of that species, the position of that isolate in the distribution changes to lower zone sizes or higher MIC values.

So, if we can use the upper zone size slope for a reconstruction of the whole wild-type distribution, then we have obtained an internal calibrator which will enable us to compare results from anywhere, from any laboratory in the world.

This can be done using the Normalized Resistance Interpretation (see link below) method, NRI.

[Normalized Resistance Interpretation method, NRI](#)

A summary of the procedure (see link below) is presented in IJAA.

A detailed analysis of parameter setting (see link below) for the NRI calculations was performed by Joneberg et al.

[summary of the procedure](#)

[analysis of parameter setting](#)

MIC distributions with regular double dilution steps provided too few points for solving the regression, but Etest results (see link below) with intermediate values included, were precise enough for NRI calculations to work. This was shown in studies of tigecycline susceptibility.

[Etest results](#)

A patent application for the NRI method has been submitted by Bioscand AB (International Patent Application WO 02/083935 A1).

[Normalized Resistance Interpretation method, NRI.](#)

The solution to standardized resistance surveys.

Free downloads


[Single strain regression analysis programme for calibration of disk diffusion testing, etc](#) (3.9 Mb installation file).

Publications & Documents

Mini-review on Acridine Orange Staining in Clinical Microbiology

Acridine Orange Staining in Clinical Microbiology

A Mini-Review



Introduction

Before the investigations in 1976-1977 by Kronvall and Myhre on the effect of pH on the staining characteristics of acridine orange and the invention of the acid pH acridine orange staining of clinical specimens (1), the use of acridine orange in clinical microbiology was of no diagnostic value. A regular acridine orange staining at neutral pH stained everything brilliant orange, cell nuclei, bacteria, cell debris, etc., in a fixed specimen on the slide.

On the other hand, acridine orange had been used for several purposes before 1977. Environmental microbiologists used acridine orange to count live versus dead bacteria in soil, water and other materials (2). The immunologists used acridine orange to count per cent blast cells in lymphocyte transformation tests (3,4). In all these applications the staining was performed at a neutral pH.

How it all started

When I was working at A.H.R.I., the Armauer Hansen Research Institute, in Addis Ababa, Ethiopia, during 1973 – 1975, I performed lymphocyte transformation tests together with Dr G. Bjune on cells from both patients and apparently healthy individual. The cells were challenged with *M.leprae* antigen and other mitogens or antigens, as had been performed in the laboratory before our arrival. In the absence of isotope methods the transformation tests were read by microscope counting of per cent blasts after acridine orange staining (3,4).

The beauty of the stained preparations was so impressive that I also thought about other applications of staining with acridine orange.

After the return to Lund I engaged a young doctor, E. Myhre, in an investigation of different parameters with effect on the staining of bacteria as well as tissue components.

Publication of the results

With Dr. Myhre I wrote up the results of the acridine orange staining experiments and concluded that we had obtained a **DIFFERENTIAL STAINING EFFECT** of great potential in clinical microbiology.

Such a practical and simple method should be welcomed by clinical microbiologists and we therefore sent the manuscript to the leading journal in the field, Journal of Clinical Microbiology. To our great surprise the manuscript was found “**unacceptable for publication in the Journal.**”. The editor wrote: “**The method is much more cumbersome than the gram stain ...**”. He also wrote: “**Other reviewers have been very concerned about the expense that this technique would generate.**” This contrasts to what later scientists have written about the method, how simple and easy to perform it really is.

The manuscript was then sent to Acta Pathologica et Microbiologica Scandinavica, Section B – Microbiology. It was accepted and then printed (1). This journal is nowadays known as APMIS.

Subsequent reports on the use of the AO method

Already in a few years several clinical microbiologists took up the acid acridine orange staining method and tested it in their laboratories.

Forsum and Hallén, 1979 (5) were first out and wrote: “**Acridine orange staining seems a valuable alternative due to its sharp image contrast.**”.

Dr. Jill E. Senne in Chapel Hill, USA, described the test in 1979 in Clinical Microbiology Newsletter (6) and then published a more extensive evaluation of its use in blood culture microscopy in 1980 (7). She wrote in 1979: “**The AO stain’s sensitivity, low cost, and potential time-saving make the method attractive for the detection of microorganisms in direct smears ...**”.

Other American microbiologists followed suit with Lauer et al. (8) in 1981, Mirret et al. (9) in 1982, Burdash et al. (10) in 1983, Cashman et al. (11) in 1983, Tierney et al. (12) in 1983, Flejzor and Bokkenheuser (13) in 1984, Kleiman et al. (14) in 1984.

Some conclusions arrived at in these articles were:

“**The acridine orange method represents a rapid and inexpensive alternative ...**” (7)

“**The AO staining procedure is a simple, sensitive, screening technique for the early detection of positive blood cultures.**” (9)

“**... we have substituted AO staining for blind subculturing of BACTEC-negative bottles.**” (10)

“**Acridine orange staining ... is a rapid, reliable method to detect positive blood cultures.**” (12)

Also in laboratories in other countries the use of the AO method was evaluated. For instance Mascart et al. in Belgium wrote: “**Staining with acridine orange yields more positive results than Gram staining and is also simpler.**” (15). Meseguer et al. in Spain reported: “**Acridine orange staining is a sensitive, rapid and reliable method for detecting bacteria in blood**

cultures early during incubation. The method is inexpensive and easy to perform and can be substituted for blind subcultures.” (16).

Nor only in blood cultures but also in several other tests on clinical specimens the AO method was found to be of value. For cerebrospinal fluid examinations it was found that ***“... acridine orange staining is a sensitive method for screening clinical specimens ...”*** (8). The title of one article was: ***“Superiority of acridine orange stain versus Gram stain ...”*** (17). Also in urinary tract infections AO staining proved valuable (18,19). One comment read: ***“ ... the rapid, inexpensive AO procedure ... ”*** (18). In bacterial keratitis ***“ ... acridine orange is significantly better than Gram stain in cases with low amounts of organisms.”*** (20), and ***“ ... Acridine orange was more sensitive than Gram stain, ... ”*** (21), and ***“ ... this stain [AO] is recommended as a simple and reliable method for the rapid diagnosis of this disease.”*** (22).

More rare blood-borne infections have also been successfully analysed using acid acridine orange, for instance infections by *Borrelia* (23), *Bartonella* (24), and *Tropheryma whippelii* (25). *Cryptococcus neoformans* was detected in sets of negative blood cultures, but positive by acridine orange staining (26). In mouse experiments it was noted that ***“Acridine orange is a rapid and sensitive method for demonstrating trophozoites of P. carinii in mouse lung tissue.”*** (27).

Infectious foci in other body compartments have also been studied using acridine orange, for instance in samples from nasopharynx (28), middle ear (29,30), other purulent specimens (31), urethral and cervical smears (5), intra-amniotic infection (32),

In the early history of *Helicobacter pylori* (first designated *Campylobacter pylori*) research after the initial discovery (33) acridine orange staining of specimens at acid pH played an important role. Walters et al. identified *C.pylori* in formalin fixed biopsies (34). They concluded that ***“ ... this stain was easier to perform than ... ”***, and ***“ ... slides could be examined much more quickly and with less effort than ... ”*** (34). Haqqani et al., apparently independently found the acid acridine orange staining of gastric biopsies ***“ ... is inexpensive, quick and easy to perform ... ”***, and ***“ ... more sensitive than other stains, ... ”*** (35). After 16 years use Haqqani stated that the AO staining ***“ ... has proved to be extremely useful in the identification of H.pylori.”*** (36). Other authors confirm the valuable use of AO staining in studies of *H.pylori* infections (37-40). For instance Södervik et al wrote ***“ ... the staining test proved to be a rapid and reliable test particularly in outpatient clinics ... ”*** (37).

Further developments.

It has been mentioned in several reports that an acridine orange stained smear can subsequently be subject to Gram stain which will enable a report on the Gram stain reaction of the organisms discovered. This possibility is an important aspect of the AO staining method.

A very interesting development of the AO method has been described by Dr Ettore Ciancaglini and his group in Italy (41-43). The slide is first stained with acridine orange (10% in acid buffer), then decolorized with ethanol/acetone, 50:50, and finally stained with fluorescein (0.0001%). This procedure produced a differential effect with Gram positive organisms giving yellow fluorescence and Gram negative giving green fluorescence (42,43).

The method was tested on both blood cultures and CSF samples as well as on urine samples, giving higher sensitivity and specificity than regular Gram stain. This procedure has not been evaluated by other clinical microbiologists so far, but that should really be done.

Another alternative to classical Gram stain was described by Mason et al. for staining microorganisms in suspension (44). They used two different fluorescent dyes, hexidium iodide and SYTO 13, with different staining patterns. Also this method should be further evaluated.

AO staining described in manuals

Difco Manual

The 10th edition of “*Difco Manual – Dehydrated Culture Media and Reagents for Microbiology*” included a 3-page description of the acridine orange staining method at low pH of clinical specimens (45). This excellent description together with the availability of acridine orange solution from Difco must have been a perfect guide for clinical microbiologists in the use of this method. Therefore, in many later publications the only reference for the method is to the Difco Manual.

Manual of Clinical Microbiology

The acridine orange staining method at low pH was included 1991 in the 5th edition of the Manual of Clinical Microbiology, but without any references. In the 6th edition in 1995 a more detailed description was included with as many as six references but not to the original one by Kronvall and Myhre. What was more surprising, however, was the lack of any information about the critical pH of the staining procedure. There was a high risk therefore that regular acridine solutions with neutral pH could be used. Therefore, I wrote to the author of the chapter pointing out this fact and I also informed about the original article for the method (1). The response was a kind letter with thanks for the clarification and an assurance that with her as an author the next edition would correct the information.

In the 7th edition in 1999 the information about the low pH was included and also the buffer used, but without any reference to the original work. Five of the earlier six references were included. When the 8th edition in 2003 arrived with no reference to the original description of the method I wrote a letter to the Editor-in-Chief. In my own scientific upbringing it was always important to honour the original work. The reply was that the authors “... **were one of the first US clinical microbiologists to use the acridine orange stain in the clinical microbiology lab.**”. It was apparently more important to honour fellow citizens.

In the 9th edition in 2007 the original reference suddenly appeared, but with no mentioning of its originality, just added to the other five references. Finally, in the 10th edition in 2011 all references were omitted except one of the early American studies (8). It is remarkable that a manual of world-wide importance is so local in its honouring of scientific contributions.

How to stain a clinical specimen with acridine orange at low pH

Acridine Orange (AO) stock solution.


50 mg acridine orange is dissolved in 10 ml of distilled water and stored in the refrigerator, 0.5 per cent.

Staining solution.

1 ml of AO stock solution and 0.5 ml of glacial acetic acid is added to 50 ml of distilled water in a staining trough taking 8 microscope slides. The pH of the solution will be approximately 3 and the AO concentration 0.01 per cent.

Staining procedure.

Dried smears of glass slides are fixed with methanol and after drying put in trough with acridine orange staining solution (0.01 per cent). After 2 minutes of staining, the slides are washed gently with water and dried and then examined in a fluorescent microscope. Bacteria stain orange against a green to yellow background of human cells and debris.



Alternative, commercially available AO solutions.

1. BD BBL Acridine Orange Reagent Droppers, BD Diagnostics No 261182, 50 ampules, each containing 0.5 ml of acridine orange, 0.01 %.
2. Sigma-Aldrich A8097 Acridine Orange stock solution 10 mg/ml in H₂O, 10 ml. For staining solution take 0.5 ml of this 1 per cent solution in the above recipe to make it 0.01 %.

The article on acridine orange staining at low pH in clinical microbiology is one of some 250 publications by Göran Kronvall. For the full bibliography, see web page:

http://www.bioscand.se/kron/gk_bibliography.pdf

2012-02-11

Göran Kronvall

Reference List

1. **Kronvall,G. and E.B.Myhre.** 1977. Differential staining of bacteria in clinical specimens using acridine orange buffered at low pH. *Acta Pathologica et Microbiologica Scandinavica - Section B, Microbiology* **85**:249-254.
2. **Strugger,S.** 1940. Fluoreszenzmikroskopische Untersuchungen über die Aufnahme und Speicherung des Akridinorange durch lebende und tote Pflanzenzellen. *Jenaische Zeitschrift für Naturwissenschaft* **73**:97-134.
3. **Lamvik,J.O.** 1968. A micro-incubation chamber technique for testing the immunological activity of cultured lymphocytes. *Scand.J.Haematol.* **5**:278-286.
4. **Dukes,C.D., J.L.Parsons, and C.A.Stephens, Jr.** 1969. Use of acridine orange in lymphocyte transformation test. *Proc.Soc.Exp.Biol.Med.* **131**:1168-1170.
5. **Forsum,U. and A.Hallén.** 1979. Acridine orange staining of urethral and cervical smears for the diagnosis of gonorrhea. *Acta Derm.Venereol.* **59**:281-282.
6. **Senne,J.E.** 1979. New test: Acridine orange stain. *Clinical Microbiology Newsletter* **1**:2-3.
7. **McCarthy,L.R. and J.E.Senne.** 1980. Evaluation of acridine orange stain for detection of microorganisms in blood cultures. *J.Clin.Microbiol.* **11**:281-285.
8. **Lauer,B.A., L.B.Reller, and S.Mirrett.** 1981. Comparison of acridine orange and Gram stains for detection of microorganisms in cerebrospinal fluid and other clinical specimens. *J.Clin.Microbiol.* **14**:201-205.
9. **Mirrett,S., B.A.Lauer, G.A.Miller, and L.B.Reller.** 1982. Comparison of acridine orange, methylene blue, and Gram stains for blood cultures. *J.Clin.Microbiol.* **15**:562-566.
10. **Burdash,N.M., J.P.Manos, E.R.Bannister, and A.L.Welborn.** 1983. Acridine orange staining and radiometric detection of microorganisms in blood cultures. *J Clin Microbiol.* **17**:463-465.
11. **Cashman,J.S., R.Boshard, and J.M.Matsen.** 1983. Viability of organisms held in the isolator blood culture system for 15 h and their rapid detection by acridine orange staining. *J Clin Microbiol.* **18**:709-712.
12. **Tierney,B.M., N.K.Henry, and J.A.Washington.** 1983. Early detection of positive blood cultures by the acridine orange staining technique. *J Clin Microbiol.* **18**:830-833.
13. **Flejzor,B. and V.D.Bokkenheuser.** 1984. Use of Directigen and acridine orange for rapid identification of human blood culture isolates. *J Clin Microbiol.* **20**:587-588.

14. **Kleiman,M.B., J.K.Reynolds, R.L.Schreiner, J.W.Smith, and S.D.Allen.** 1984. Rapid diagnosis of neonatal bacteremia with acridine orange-stained buffy coat smears. *J Pediatr.* **105**:419-421.
15. **Mascart,G., F.Bertrand, and P.Mascart.** 1983. Comparative study of subculture, Gram staining and acridine orange staining for early detection of positive blood cultures. *J Clin Pathol* **36**:595-597.
16. **Meseguer,M., L.de Rafael, M.Baquero, M.Martinez Ferrer, and M.Lopez-Brea.** 1984. Acridine orange stain in the early detection of bacteria in blood cultures. *Eur.J Clin Microbiol.* **3**:113-115.
17. **Kleiman,M.B., J.K.Reynolds, N.H.Watts, R.L.Schreiner, and J.W.Smith.** 1984. Superiority of acridine orange stain versus Gram stain in partially treated bacterial meningitis. *J Pediatr.* **104**:401-404.
18. **Hoff,R.G., D.E.Newman, and J.L.Staneck.** 1985. Bacteriuria screening by use of acridine orange-stained smears. *J Clin Microbiol.* **21**:513-516.
19. **Keay,S., R.S.Schwalbe, A.L.Trifillis, J.C.Lovchik, S.Jacobs, and J.W.Warren.** 1995. A prospective study of microorganisms in urine and bladder biopsies from interstitial cystitis patients and controls. *Urology* **45**:223-229.
20. **Groden,L.R., J.Rodnite, J.H.Brinser, and G.I.Genvert.** 1990. Acridine orange and Gram stains in infectious keratitis. *Cornea* **9**:122-124.
21. **Torres Gomez,J., N.M.Robinson, M.S.Osato, and K.R.Wilhelmus.** 1988. Comparison of acridine orange and Gram stains in bacterial keratitis. *Am.J Ophthalmol.* **106**:735-737.
22. **Hahn,T.W., T.P.O'Brien, W.J.Sah, and J.H.Kim.** 1998. Acridine orange staining for rapid diagnosis of *Acanthamoeba* keratitis. *Jpn.J Ophthalmol.* **42**:108-114.
23. **Sciotto,C.G., B.A.Lauer, W.L.White, and G.R.Istre.** 1983. Detection of *Borrelia* in acridine orange-stained blood smears by fluorescence microscopy. *Arch.Pathol Lab Med.* **107**:384-386.
24. **Larson,A.M., M.J.Dougherty, D.J.Nowowiejski, D.F.Welch, G.M.Matar, B.Swaminathan, and M.B.Coyle.** 1994. Detection of *Bartonella* (*Rochalimaea*) *quintana* by routine acridine orange staining of broth blood cultures. *J.Clin.Microbiol.* **32**:1492-1496.
25. **Escher,R., S.Roth, S.Droz, K.Egli, M.Altwegg, and M.G.Tauber.** 2010. Endocarditis due to *Tropheryma whippelii*: rapid detection, limited genetic diversity, and long-term clinical outcome in a local experience. *Clin.Microbiol.Infect.* **16**:1213-1222.
26. **Tinghitella,T.J. and M.D.Lamagdeleine.** 1995. Assessment of Difco ESP 384 blood culture system by terminal subcultures: failure to detect *Cryptococcus neoformans* in clinical specimens. *J Clin Microbiol.* **33**:3031-3033.
27. **Thomson,R.B., Jr. and T.F.Smith.** 1982. Acridine orange staining of *Pneumocystis carinii*. *J Clin Microbiol.* **16**:191-192.

28. **Lundberg,C., J.Lönnroth, and C.E.Nord.** 1982. Adherence in the colonization of *Streptococcus pneumoniae* in the nasopharynx in children. *Infection* **10**:63-66.
29. **Van Cauwenberge,P., M.Rysselaere, and P.Kluyskens.** 1985. New perspectives in the direct microscopic examination of middle ear effusions. *Am.J Otolaryngol.* **6**:191-195.
30. **Stenfors,L.E. and S.Raisanen.** 1988. Quantification of bacteria in middle ear effusions. *Acta Otolaryngol.* **106**:435-440.
31. **Clausen,C.R.** 1981. Detection of bacterial pathogens in purulent clinical specimens by immunofluorescence techniques. *J Clin Microbiol.* **13**:1119-1121.
32. **Romero,R., M.Emamian, R.Quintero, M.Wan, A.L.Scioscia, J.C.Hobbins, and S.Edberg.** 1989. Diagnosis of intra-amniotic infection: the acridine orange stain. *Am.J Perinatol.* **6**:41-45.
33. **Marshall,B.J. and J.R.Warren.** 1984. Unidentified curved bacilli in the stomach of patients with gastritis and peptic ulceration. *Lancet* **1**:1311-1315.
34. **Walters,L.L., R.E.Budin, and G.Paull.** 1986. Acridine-orange to identify *Campylobacter pyloridis* in formalin fixed, paraffin-embedded gastric biopsies. *Lancet* **1**:42
35. **Haqqani,M.T. and B.Langdale-Brown.** 1988. *Campylobacter pylori*--acridine orange stain and ultraviolet fluorescence. *Histopathology* **12**:456-457.
36. **Haqqani,M.T.** 2001. Acridine orange stain in the histological identification of *Helicobacter pylori*. *J Clin Pathol.* **54**:734
37. **Södervik,H.J., S.Räisänen, M.Apaja-Sarkkinen, and M.I.Kairaluoma.** 1988. Microabscesses in gastric biopsies shown by acridine orange staining. *Scand.J Infect.Dis.* **20**:553-557.
38. **Coudron,P.E. and D.F.Kirby.** 1989. Comparison of rapid urease tests, staining techniques, and growth on different solid media for detection of *Campylobacter pylori*. *J Clin Microbiol.* **27**:1527-1530.
39. **Langdale-Brown,B. and M.T.Haqqani.** 1990. Acridine orange fluorescence, *Campylobacter pylori*, and chronic gastritis. *Scand.J Gastroenterol.* **25**:127-133.
40. **Simor,A.E., N.B.Cooter, and D.E.Low.** 1990. Comparison of four stains and a urease test for rapid detection of *Helicobacter pylori* in gastric biopsies. *Eur.J Clin Microbiol.Infect.Dis.* **9**:350-352.
41. **Ciancaglini,E., M.Ciancaglini, and U.Bottoni.** 1994. Metodo di differenziazione cromatica del microorganismi in fluorescenza. *Dermatologia Clinica* **14**:153-157.
42. **Fazii,P., E.Ciancaglini, and G.R.Sforza.** 2002. Differential fluorescent staining method for detection of bacteria in blood cultures, cerebrospinal fluid and other clinical specimens. *Eur.J Clin Microbiol.Infect.Dis.* **21**:373-378.

43. **Ciancaglini,E., P.Fazii, and G.R.Sforza.** 2004. The use of a differential fluorescent staining method to detect bacteriuria. Clin Lab **50**:685-688.
44. **Mason,D.J., S.Shanmuganathan, F.C.Mortimer, and V.A.Gant.** 1998. A fluorescent Gram stain for flow cytometry and epifluorescence microscopy. Appl.Environ.Microbiol. **64**:2681-2685.
45. **Anonymous.** 1984. Bacto Acridine Orange Stain, p. 62-65. In Anonymous (ed.), DIFCO MANUAL. Dehydrated Culture Media and Reagents for Microbiology. Difco Laboratories, Detroit, Michigan, USA.

Bibliography, Göran Kronvall, MD, PhD

1. **Grubb, R., G. Kronvall, and L. Mårtensson.** 1965. Some aspects of the relation between rheumatoid arthritis, anti gamma globulin factors and the polymorfism of human gamma globulin. *Ann.N.Acad.Sci.* **124**:865-872.
2. **Kronvall, G.** 1965. Gm(f) activity of human gamma-globulin fragments. *Vox Sanguis* **10**:303-313.
3. **Kronvall, G.** 1967. Ligand-binding sites for streptolysin O and staphylococcal protein A on different parts of the same myeloma globulin. *Acta path.microbiol.scand.* **69**:619-621.
4. **Dossett, J. H., G. Kronvall, R. C. Williams, and P. G. Quie.** 1969. Antiphagocytic effects of staphylococcal protein A. *J.Immunol.* **103**:1405-1410.
5. **Kronvall, G. and R. C. Williams Jr .** 1969. Immunologic short circuits. *Ann.Int.Med.* **70**:1043-1045.
6. **Kronvall, G. and R. C. Williams Jr .** 1969. Differences in anti-protein A activity among IgG subgroups. *J.Immunol.* **103**:828-833.
7. **Thysell, H., H. Fritz, and G. Kronvall.** 1969. "Slide-odling" (typ Uricult) jämförd med rutinmässigt genomförd semikvantitativ urinodling. *Nordisk Medicin* **82**:1255-1256.
8. **Harvey, R. L., G. Kronvall, G. M. Troup, R. E. Andersson, and R. C. Williams Jr.** 1970. Chemotaxis of polymorphonuclear leukocytes by protein A of the staphylococcus. *Proc.Soc.Exp.Biol.Med.* **135**:453-456.
9. **Kronvall, G., H. M. Grey, and R. C. Williams Jr.** 1970. Protein A reactivity with mouse immunoglobulins. Structural relationship between some mouse and human immunoglobulins. *J.Immunol.* **105**:1116-1123.
10. **Kronvall, G.** 1970. Protein A - An "incomplete" staphylococcal agglutinin. *Acta path.microbiol.scand.Sect.B.* **78**:127-128.
11. **Kronvall, G., J. H. Dossett, P. G. Quie, and R. C. Williams Jr.** 1970. Reaction of bovine conglutinin in human in vitro phagocytic systems. *Proc.Soc.Exp.Biol.Med.* **133**:826-830.
12. **Kronvall, G., P. G. Quie, and R. C. Williams Jr.** 1970. Quantitation of staphylococcal protein A: Determination of equilibrium constant and number of protein A residues on bacteria. *J.Immunol.* **104**:273-278.

13. **Kronvall, G. and H. Gewurz.** 1970. Activation and inhibition of IgG mediated complement fixation by staphylococcal protein A. *Clin.exp.Immunol.* **7**:213-222.
14. **Kronvall, G., R. P. Messner, and R. C. Williams Jr.** 1970. Immunochemical studies on the interaction between staphylococcal protein A and IgG globulin. *J.Immunol.* **105**:1353-1359.
15. **Kronvall, G. and D. Frommel.** 1970. Definition of staphylococcal protein A reactivity for human immunoglobulin G fragments. *Immunochemistry* **7**:124-127.
16. **Kronvall, G., U. S. Seal, J. Finstad, and R. C. Williams Jr.** 1970. Phylogenetic insight into evolution of mammalian Fc fragment of IgG globulin using staphylococcal protein A. *J.Immunol.* **104**:140-147.
17. **Nickerson, D. S., J. A. Kazmierowski, G. Kronvall, R. C. Williams Jr, and P. G. Quie.** 1970. Immune response to chronic osteomyelitis in the rabbit. *Proc.Soc.Exp.Biol.Med.* **134**:821-824.
18. **Nickerson, D. S., J. G. White, G. Kronvall, R. C. Williams Jr, and P. G. Quie.** 1970. Indirect visualization of *Staphylococcus aureus* protein A. *J.Exp.Med.* **131**:1039-1047.
19. **Kronvall, G. and R. C. Williams Jr.** 1971. The star phenomenon, a three component immunoprecipitation involving protein A. *Immunochemistry* **8**:577-580.
20. **Kronvall, G., J. H. Dossett, P. G. Quie, and R. C. Williams Jr.** 1971. Occurrence of protein A in staphylococcal strains: Quantitative aspects and correlation to antigenic and bacteriophage types. *Infect.Immun.* **3**:10-15.
21. **Kronvall, G.** 1971. Dept of Medical Microbiology. Interactions between staphylococcal protein A and gamma globulins. Thesis.
22. **Hedström, S. Å. and G. Kronvall.** 1972. Phage group, lipase activity and protein A content of *Staphylococcus aureus* strains of chronic osteomyelitis. *Scand.J.Infect.Dis.* **4**:203-207.
23. **Kronvall, G. and T. Gredmark.** 1972. FTA-ABS test reading made easy. *Acta path.microbiol.scand.Sect.B.* **80**:933.
24. **Kronvall, G., O. Holmberg, and T. Ripa.** 1972. Protein A in *Staphylococcus aureus* strains of human and bovine origin. *Acta path.microbiol.scand.Sect.B.* **80**:735-742.

25. **Williams Jr, R. C. and G. Kronvall.** 1972. Cellular reactions with protein A of *Staphylococcus aureus*. *Proc.Soc.Exp.Biol.Med.* **139**:480-483.
26. **Williams Jr, R. C., O. J. Mellbye, and G. Kronvall.** 1972. Anti-gamma globulins and chronic infection: comparative studies of the immune response to various bacteria and gamma globulin preparations. *Infect.Immun.* **6**:316-323.
27. **Christensen, P., G. Kahlmeter, S. Jonsson, and G. Kronvall.** 1973. New method for the serological grouping of streptococci with specific antibodies adsorbed to protein A-containing staphylococci. *Infect.Immun.* **7**:881-885.
28. **Kronvall, G.** 1973. Purification of staphylococcal protein A using immunosorbents. *Scand.J.Immunol.* **2**:31-36.
29. **Kronvall, G.** 1973. A rapid slide-agglutination method for typing pneumococci by means of specific antibody adsorbed to protein A-containing staphylococci. *J.Med.Microbiol.* **6**:187-190.
30. **Kronvall, G.** 1973. A surface component in group A, C, and G streptococci with non-immune reactivity for immunoglobulin G. *J.Immunol.* **111**:1401-1406.
31. **Ankerst, J., P. Christensen, L. Kjellen, and G. Kronvall.** 1974. A routine diagnostic test for IgA and IgM antibodies to rubella virus: Absorption of IgG with *Staphylococcus aureus*. *J.Infect.Dis.* **130**:268-273.
32. **Christensen, P. and G. Kronvall.** 1974. Capacity of group A, B, C, D and G streptococci to agglutinate sensitized sheep red cells. *Acta path.microbiol.scand.Sect.B.* **82**:19-24.
33. **Danielsson, D. and G. Kronvall.** 1974. Slide-agglutination method for the serological identification of *Neisseria gonorrhoeae* with anti-gonococcal antibodies adsorbed to protein A-containing staphylococci. *Appl.Microbiol.* **27**:368-374.
34. **Jonsson, S. and G. Kronvall.** 1974. The use of protein A-containing *Staphylococcus aureus* as a solid phase anti-IgG reagent in radioimmunoassays as exemplified in the quantitation of alfa-fetoprotein in normal human adult serum. *Eur.J.Immunol.* **4**:29-33.
35. **Jonsson, S. and G. Kronvall.** 1974. New solid-phase separation techniques for radioimmunoassays based on the specific non-immune reactivity between immunoglobulin G and protein A of *Staphylococcus aureus*. *International Atomic Energy Agency, IAEA-SM-17748* 287-297.

36. **Jonsson, S., G. Kahlmeter, T. Hallberg, and G. Kronvall.** 1974. Characteristics of a new radioimmunoassay for gentamycin using 125-I-labelled gentamycin-HSA as a tracer and protein A-containing *Staph. aureus* as a separation reagent. VI Int.Cong.Inf.Parasitic Dis.Preprints **3**:160-163.
37. **Kronvall, G., U. S. Seal, S. Svensson, and Jr. R. C. Williams.** 1974. Phylogenetic aspects of staphylococcal protein A-reactive serum globulin in birds and mammals. *Acta path.microbiol.scand.Sect.B.* **82**:12-18.
38. **Stephens, C. G., W. P. Reed, G. Kronvall, and Jr. R. C. Williams.** 1974. Reactions between certain strains of pneumococci and Fc of IgG. *J.Immunol.* **112**:1955-1960.
39. **Barnetson, R. S. t. C., G. Bjune, J. M. H. Pearson, and G. Kronvall.** 1975. Antigenic heterogeneity in patients with reactions in borderline leprosy. *Brit.Med.J.* **4**:435-437.
40. **Closs, O. and G. Kronvall.** 1975. Experimental murine leprosy. IX. Antibodies against *Mycobacterium lepraemurium* in C3H and C57BL mice with murine leprosy and in patients with lepromatous leprosy. *Scand.J.Immunol.* **4**:735-740.
41. **Kronvall, G., G. Husby, D. Samuel, G. Bjune, and H. Wheate.** 1975. Amyloid-related serum component (protein ASC) in leprosy patients. *Infect.Immun.* **11**:969-972.
42. **Kronvall, G., G. Bjune, J. L. Stanford, S. Menzel, and D. Samuel.** 1975. Mycobacterial antigens in antibody responses of leprosy patients. *Int.J.Leprosy* **43**:299-306.
43. **Stanford, J. L., G. A. W. Rook, J. Convit, T. Godal, and G. Kronvall.** 1975. Preliminary taxonomic studies on the leprosy bacillus. *Brit.J.Exp.Pathol.* **56**:579-585.
44. **Barnetson, R. S. t. C., A. Barnetson, J. M. H. Pearson, and G. Kronvall.** 1976. Does non-specific T-lymphocyte stimulation of B lymphocytes occur during reversal reaction in borderline leprosy? *Scand.J.Immunol.* **5**:287-291.
45. **Bjorvatn, B., R. S. t. C. Barnetson, G. Kronvall, R. H. Zübler, and P. H. Lambert.** 1976. Immune complexes and complement hypercatabolism in patients with leprosy. *Clin.exp.Immunol.* **26**:388-396.
46. **Bjune, G., R. S. t. C. Barnetson, D. S. Ridley, and G. Kronvall.** 1976. Lymphocyte transformation test in leprosy; correlation of the response with inflammation of lesions. *Clin.exp.Immunol.* **25**:85-94.

47. **Christensen, P., B. G. Johansson, and G. Kronvall.** 1976. Interaction of streptococci with the Fc fragment of IgG. *Acta path.microbiol.scand.Sect.C.* **84**:73-76.
48. **Kronvall, G., J. L. Stanford, and G. P. Walsh.** 1976. Studies of mycobacterial antigens, with special reference to *Mycobacterium leprae*. *Infect.Immun.* **13**:1132-1138.
49. **Harboe, M., O. Closs, B. Bjorvatn, G. Kronvall, and N. H. Axelsen.** 1977. Antibody response in rabbits to immunization with *Mycobacterium leprae*. *Infect.Immun.* **18**:792-805.
50. **Jonsson, J. and G. Kronvall.** 1977. Protein A-bärande stafylokocker som reagens i serologi. *STU-information* **54-1977**:116-119.
51. **Kronvall, G. and E. B. Myhre.** 1977. Differential staining of bacteria in clinical specimens using acridine orange buffered at low pH. *Acta path.microbiol.scand.Sect.B.* **85**:249-254.
52. **Kronvall, G., O. Closs, and G. Bjune.** 1977. Common antigen of *Mycobacterium leprae*, *M. lepraemurium*, *M. avium* and *M. fortium* in comparative studies using two different types of antisera. *Infect.Immun.* **16**:542-546.
53. **Myhre, E. B. and G. Kronvall.** 1977. Heterogeneity of non immune immunoglobulin Fc reactivity among Gram-positive cocci: Description of three major types of receptors for human immunoglobulin G. *Infect.Immun.* **17**:475-482.
54. **Tung, K. S. K., B. Kim, B. Bjorvatn, G. Kronvall, L. C. McLaren, and R. C. Williams Jr.** 1977. Discrepancy between C1q deviation and Raji cell tests in detection of circulation immune complexes in patients with leprosy. *J.Infect.Dis.* **36**:216-221.
55. **Bjorvatn, B., B. Naafs, and G. Kronvall.** 1978. Stability of individual antimycobacterial precipitation patterns during treatment for lepromatous leprosy. *Int.J.Leprosy* **46**:144-148.
56. **Harboe, M., O. Closs, G. Bjune, G. Kronvall, and N. H. Axelsen.** 1978. *Mycobacterium leprae* specific antibodies detected by radioimmunoassay. *Scand.J.Immunol.* **1**:111-120.
57. **Kronvall, G., E. B. Myhre, L. Björck, and I. Berggård.** 1978. Binding of aggregated human beta-2-microglobulin to surface protein structure in group A, C, and G streptococci. *Infect.Immun.* **22**:136-142.

58. **Mattiasson, B., K. Svensson, C. Borrebaeck, S. Jonsson, and G. Kronvall.** 1978. Non-equilibrium enzyme immunoassay of gentamicin. *Clin.Chem.* **24**:1770-1773.
59. **Wager, O., K. Penttinen, J. O. Almeida, D. V. A. Opromolla, T. Godal, and G. Kronvall.** 1978. Circulating complexes in leprosy studied by the platelet aggregation test. The platelet aggregation test and its relation to the Rubino test and other sero-immunological parameters in 135 patients with leprosy. *Clin.exp.Immunol.* **34**:326-337.
60. **Ericson, D., D. Bratthall, L. Björck, E. B. Myhre, and G. Kronvall.** 1979. Interactions between human serum proteins and oral streptococci reveal occurrence of receptors for aggregated beta-2-microglobulin. *Infect.Immun.* **25**:279-283.
61. **Harboe, M., R. N. Mshana, O. Closs, G. Kronvall, and N. H. Axelsen.** 1979. Cross-reactions between mycobacteria. II. Crossed immunoelectrophoretic analysis of soluble antigens of BCG and comparison with other mycobacteria. *Scand.J.Immunol.* **9**:115-124.
62. **Kronvall, G., A. Simmons, E. B. Myhre, and S. Jonsson.** 1979. Specific absorption of human serum albumin, immunoglobulin A, and immunoglobulin G with selected strains of group A and G streptococci. *Infect.Immun.* **25**:1-10.
63. **Kronvall, G., C. Schönbeck, and E. B. Myhre.** 1979. Fibrinogen binding structures in beta-hemolytic streptococci group A, C, and G. Comparisons with receptors for IgG and aggregated beta-2-microglobulin. *Acta path.microbiol.scand.Sect.B.* **87**:303-310.
64. **Kronvall, G., L. Björck, E. B. Myhre, and L. W. Wannamaker.** 1979. Binding of aggregated beta-2-microglobulin, IgG, IgA, and fibrinogen to group -A, -C, and -G streptococci with special reference to streptococcal M protein., p. 74-76. *In* M. T. Parker (ed.), *Pathogenic Streptococci. Proceedings of the VIIth International Symposium on Streptococci and Streptococcal Diseases held in September 1978.* Reedbookts Ltd, Chertsey, England.
65. **Menzel, S., G. Bjune, and G. Kronvall.** 1979. Lymphocyte transformation test in healthy contacts of patients with leprosy. I. Influence of exposure to leprosy within a household. *Int.J.Leprosy* **47**:138-152.
66. **Menzel, S., G. Bjune, and G. Kronvall.** 1979. Lymphocyte transformation test in healthy contacts of patients with leprosy. II. Influence of consanguinity with the patients, sex and age. *Int.J.Leprosy* **47**:153-160.

67. **Myhre, E. B., O. Holmberg, and G. Kronvall.** 1979. Immunoglobulin-binding structure on bovine group G streptococci different from type III Fc receptors on human group G streptococci. *Infect.Immun.* **23**:1-7.
68. **Myhre, E. B. and G. Kronvall.** 1979. Immunoglobulin binding to group -A, -C, and -G streptococci. In: *Pathogenic Streptococci.*, p. 76-78. *In* M. T. Parker (ed.), *Pathogenic Streptococci. Proceedings of the VIIth International Symposium on Streptococci and Streptococcal Diseases held in September 1978.* Reedbooks Ltd, Chertsey, England.
69. **Bjorvatn, B. and G. Kronvall.** 1980. Detection of antigen in *Nocardia caviae* cross-reacting with mycobacterial antigen no. 21 in *M. leprae* using a lepromatous leprosy serum pool as antibody reagent. *Int.J.Leprosy* **48**:260-266.
70. **Ericsson, D., L. Björck, and G. Kronvall.** 1980. Further characteristics of beta-2-microglobulin binding to oral streptococci. *Infect.Immun.* **30**:117-124.
71. **Kronvall, G.** 1980. The Co-agglutination technique: principle, theory and practical application. With consideration of staphylococcal agglutination and protein A precipitation., p. 167-180. *In* R. Facklam, G. Laurell, and I. Lind (eds.), *Recent developments in laboratory identification techniques.* Excerpta Medica, Amsterdam-Oxford-Princeton.
72. **Kronvall, G.** 1980. Coagglutinationsmetoden i mikroskopisk snabbdiagnostik., p. 79-85. *In* T. Omland and I. Orstavik (eds.), *Mikrobiologisk snabbdiagnostik.* SIFF, Oslo.
73. **Löfgren, B., E. Nordenfelt, S. Jonsson, and G. Kronvall.** 1980. New bacterial absorption method for determination of hepatitis A IgM and IgA antibodies. *J.Med.Virol.* **6** :37-44.
74. **Mattiasson, B., M. Ramstorp, K. Widebäck, and G. Kronvall.** 1980. Affinity chromatography using immobilized bacterial cells with receptors for human serum proteins. *J.Appl.Biochem.* **2**:321-335.
75. **Miörner, H., E. B. Myhre, L. Björck, and G. Kronvall.** 1980. Effect of specific binding of human albumin, fibrinogen, and immunoglobulin G on surface characteristics of bacterial strains as revealed by partition experiments in polymer phase systems. *Infect.Immun.* **29**:879-885.
76. **Myhre, E. B. and G. Kronvall.** 1980. Demonstration of a new type of immunoglobulin G receptor in *Streptococcus zooepidemicus* strains. *Infect.Immun.* **27**:808-816.

77. **Myhre, E. B. and G. Kronvall.** 1980. Demonstration of specific binding sites for human serum albumin in group C and G streptococci. *Infect.Immun.* **27**:6-14.
78. **Myhre, E. B. and G. Kronvall.** 1980. Immunochemical aspects of Fc-mediated binding of human IgG subclasses to group A, C, and G streptococci. *Mol.Immunol.* **17**:1563-1575.
79. **Myhre, E. B. and G. Kronvall.** 1980. Binding of murine myeloma proteins of different Ig classes and subclasses to Fc-reactive surface structures in Gram-positive cocci. *Scandinavian Journal of Immunology* **11**:37-46.
80. **Widebäck, K., G. Kronvall, B. Bjorvatn, O. Closs, and M. Harboe.** 1980. Comparative studies of antigen 21 in *Mycobacterium* and *Nocardia* species: Possible taxonomic relationship with *Mycobacterium leprae*. *Infect.Immun.* **30**:413-420.
81. **Björck, L., S. K. Tylewska, T. Wadström, and G. Kronvall.** 1981. Beta-2-microglobulin is bound to streptococcal M protein. *Scand.J.Immunol.* **13**:391-394.
82. **Björck, L. and G. Kronvall.** 1981. Analysis of bacterial cell wall proteins and human serum proteins bound to bacterial cell surfaces. *Acta path.microbiol.scand.Sect.B.* **89**:1-6.
83. **Kronvall, G.** 1981. The potential of immunological tests as tools in the epidemiology of leprosy. *Lepr.Rev.* **52: Suppl. 1**:207-219.
84. **Kronvall, G. and A. Runehagen.** 1981. [Improved bacterial resistance testing by a standardized SIR-system]. [Swedish] Förbättrad känslighetsbedömning av bakterier medelst artrelaterat SIR-system. *Läkartidningen* **78**:3483-3485.
85. **Myhre, E. B. and G. Kronvall.** 1981. Specific binding of bovine, ovine, caprine and equine IgG subclasses to defined types of immunoglobulin receptors in grampositive cocci. *Comp.Immun.Microbiol.infect.Dis.* **4**:317-328.
86. **Runehagen, A., C. Schönbeck, U. Hedner, B. Hessel, and G. Kronvall.** 1981. Binding of fibrinogen degradation products to *S. aureus* and to beta-hemolytic streptococci group A, C, and G. *Acta path.microbiol.scand.Sect.B.* **89**:49-55.
87. **Ryberg, B. and G. Kronvall.** 1981. Immunoglobulin characterization by bacterial absorption of anti-brain antibodies in multiple sclerosis. *Eur.Neurol.* **20**:374-379.

88. **Schönbeck, C., L. Björck, and G. Kronvall.** 1981. Receptors for fibrinogen and aggregated beta-2-microglobulin detected in strains of group B streptococci. *Infect.Immun.* **31**:856-861.
89. **Björck, L., S. Tylewska, T. Wadström, M. Söderström, and G. Kronvall.** 1982. Beta-2-microglobulin and its relation to streptococcal M protein and adherence., p. 220-222. *In* S. Holm and P. Christensen (eds.), *Basic Concepts of Streptococci and Streptococcal Diseases*. Reedboocks Ltd, Chertsey, England.
90. **Christensson, B., F. Espersen, S. Å. Hedström, and G. Kronvall.** 1982. Staphylococcus aureus antibodies in patients with staphylococcal septicemia. Comparisons between solid-phase radioimmunoassay and crossed immunoelectrophoresis. *Scand.J.Infect.Dis.* **14**:155-156.
91. **Christensson, B., S. Å. Hedström, and G. Kronvall.** 1982. Detection of Staphylococcus aureus antibodies in patients with S.aureus infections and in normal persons, using solid phase radioimmunoassay. *Acta path.microbiol.scand.Sect.B.* **90**:251-255.
92. **Ericson, D., D. Bratthall, L. Björck, and G. Kronvall.** 1982. Beta-2-microglobulin in saliva and its relation to flow rate in different glands in man. *Archs.oral.Biol.* **27**:679-682.
93. **Kronvall, G.** 1982. Analysis of a single reference strain for determination of gentamicin regression line constants and inhibition zone diameter breakpoints in quality control of disk diffusion antibiotic susceptibility testing. *J.Clin.Microbiol.* **16**:784-793.
94. **Kronvall, G., L. Björck, H. Miörner, E. B. Myhre, and K. Widebäck.** 1982. Receptors for mammalian proteins in streptococcal species of human and animal origin., p. 219-220. *In* S. Holm and P. Christensen (eds.), *Basic concepts of Streptococci and Streptococcal Diseases*. Reedbooks Ltd, Chertsey, England.
95. **Miörner, H., P. Albertsson, and G. Kronvall.** 1982. Surface properties of Gram-positive cocci with emphasis on charge and hydrophobicity., p. 222-224. *In* S. Holm and P. Christensen (eds.), *Basic Concepts of Streptococci and Streptococcal Diseases*. Reedbooks Ltd, Chersey, England.
96. **Miörner, H., P. Å. Albertson, and G. Kronvall.** 1982. Isoelectric points and surface hydrophobicity of gram-positive cocci as determind by cross-partition and hydrophobic affinity partition in aqueous two-phase systems. *Infect.Immun.* **36**:227-234.

97. **Myhre, E. B. and G. Kronvall.** 1982. Immunoglobulin specificities of defined types of streptococcal Ig receptors., p. 209-210. *In* S. Holm and P. Christensen (eds.), Basic Concepts of Streptococci and Streptococcal Diseases. Reedbooks Ltd, Chertsey, England.
98. **Nilsson, R., E. B. Myhre, G. Kronvall, and H. O. Sjögren.** 1982. Fractionation of rat IgG subclasses and screening for IgG Fc-binding to bacteria. *Mol.Immunol.* **19**:119-126.
99. **Widebäck, K., U. S. Seal, and G. Kronvall.** 1982. Receptor in group C and G streptococci detects albumin structures present in mammalian species. *Infect.Immun.* **36**:469-475.
100. **Widebäck, K., U. S. Seal, E. B. Myhre, and G. Kronvall.** 1982. Albumin binding to specific receptor in group C and G streptococci in various animal species., p. 224-226. *In* S. Holm and P. Christensen (eds.), Basic Concepts in Streptococci and Streptococcal Diseases. Reedbooks Ltd, Chertsey, England.
101. **Widebäck, K. and G. Kronvall.** 1982. Surface receptors for serum albumin in group C and G streptococci show three different types of albumin specificity. *Infect.Immun.* **338**:1154-1163.
102. **Christensson, B., S. Å. Hedström, and G. Kronvall.** 1983. The clinical significance of serological methods in the diagnosis of staphylococcal septicaemia and endocarditis. *Scand.J.Infect.Dis. Suppl.* **41**:140-143.
103. **Christensson, B., F. Espersen, S. Å. Hedström, and G. Kronvall.** 1983. Solid-phase radioimmunoassay of immunoglobulin G antibodies to Staphylococcus aureus peptidoglycan in patients with staphylococcal infections. *Acta path.microbiol.immunol.scand.Sect.B.* **91**:401-406.
104. **Christensson, B., S. Å. Hedström, and G. Kronvall.** 1983. Antibody response to alpha- and betahemolysin from Staphylococcus aureus in patients with staphylococcal infections and in normals. *Acta path.microbiol.scand.Sect.B.* **91**:351-356.
105. **Erntell, M., E. B. Myhre, and G. Kronvall.** 1983. Alternative non-immune F (ab') 2-mediated immunoglobulin binding to group C and G streptococci. *Scand.J.Immunol.* **17**:201-209.
106. **Kronvall, G.** 1983. Single-strain regression analysis for determination of interpretive breakpoints for cefoperazone disk diffusion susceptibility testing. *J.Clin.Microbiol.* **17**:975-980.

107. **Kronvall, G.** 1983. Determination of breakpoints for MIC limits in piperacillin disk diffusion susceptibility testing using single strain regression analysis., p. 22-25. *In* F. Nordbring (ed.), Piperacillin, a penicillin for serious infections. Excerpta Medica, Amsterdam.
108. **Kronvall, G.** 1983. Single strain regression analysis. New method for determination of laboratory- and species-specific interpretive breakpoints for improved accuracy of the disk diffusion antibiotic susceptibility test., p. 18-21. *In* K. H. Spitzzy and K. Karrer (eds.), Proceedings of the 13th Int. Congr. Chemother. 13th Int. Congr. Chemother., Vienna.
109. **Miörner, H., G. Johansson, G. Kronvall, and H. O. Sjögren.** 1983. Lipoteichoic acid is the major cell wall component responsible for surface hydrophobicity of group A streptococci. *Infect.Immun.* **39**:336-343.
110. **Nilsson, R., E. B. Myhre, G. Kronvall, and H. O. Sjögren.** 1983. Different protein A immunosorbents may have different binding specificity for rat immunoglobulins. *J.Immunol.Meth.* **62**:241-245.
111. **Wagner, M., B. Wagner, G. Kronvall, and L. Björck.** 1983. Electron microscopic localization of receptors for aggregated beta-2-microglobulin on the surface of beta-hemolytic streptococci. *Infect.Immun.* **42**:326-332.
112. **Widebäck, K., J. Havlicek, and G. Kronvall.** 1983. Demonstration of a receptor for mouse and human serum albumin in *Streptococcus pyogenes*. *Acta path.microbiol.immunol.scand.Sect.B.* **91**:373-382.
113. **Björck, L. and G. Kronvall.** 1984. Purification and some properties of streptococcal protein G, a novel IgG-binding reagent. *J.Immunol.* **133**:969-974.
114. **Björck, L., H. Miörner, O. Kühnemund, G. Kronvall, and R. Sundler.** 1984. On the interaction between beta-2-microglobulin and group A streptococci. *Scand.J.Immunol.* **20**:69-79.
115. **Christensson, B., F. Espersen, S. Å. Hedström, and G. Kronvall.** 1984. Methodological aspects of *Staphylococcus aureus* peptidoglycan serology: Comparisons between solid-phase radioimmunoassay and enzyme-linked immunosorbent assay. *J.Clin.Microbiol.* **19**:680-686.
116. **Kronvall, G., A. C. Petersson, K. Ljunggren, and V. Soltesz.** 1984. Single-strain regression analysis for quality control of cephalothin-susceptibility testing and determination of interpretive breakpoints. *Acta path.microbiol.immunol.scand.Sect.B.* **92**:13-22.
117. **Miörner, H., J. Havlicek, and G. Kronvall.** 1984. Surface characteristics of group A streptococci with and without M-protein. *Acta path.microbiol.immunol.scand.Sect.B.* **92**:23-30.

118. **Myhre, E. B. and G. Kronvall.** 1984. Interaction of thermally aggregated human IgG with bacteria. *Acta path.microbiol.immunol.scand.Sect.B.* **92**:229-236.
119. **Atterholm, I., P. Christensen, E. Dahlquist, and G. Kronvall.** 1985. Ett fall av *Streptococcus suis*-meningit - en ny yrkessjukdom i Sverige. *Läkartidningen* **82**:119.
120. **Christensson, B., F. Espersen, S. Å. Hedström, and G. Kronvall.** 1985. Serological Assays against *Staphylococcus aureus* Peptidoglycan, Crude staphylococcal Antigen and staphylolysin in the Diagnosis of serious *S. aureus* Infections. *Scand.J.Infect.Dis.* **17**:47-53.
121. **Erntell, M., E. B. Myhre, and G. Kronvall.** 1985. Non-immune IgG F(ab')₂ binding to group C and G streptococci is mediated by structures on γ chains. *Scand.J.Immunol.* **21**:151-157.
122. **Erntell, M., E. B. Myhre, and G. Kronvall.** 1985. Non-immune F(ab')₂-mediated IgG binding to group C and G streptococci. *Proc.of the International Symp.on Bacteria and the Host.Prague* 101-105.
123. **Forsberg, P., A. C. Petersson, and G. Kronvall.** 1985. Determination of species- and laboratory-related interpretive breakpoints for doxycycline susceptibility testing using single-strain regression analysis. *Acta path.microbiol.immunol.scand.Sect.B.* **93**:53-60.
124. **Petersson, A. C. and G. Kronvall .** 1985. Determination of interpretive breakpoints for ceftazidime disc-diffusion susceptibility testing using single-strain regression analysis. *Acta path.microbiol.immunol.scand.Sect.B.* **93**:289-296.
125. **Reuterswärd, A., H. Miörner, M. Wagner, and G. Kronvall.** 1985. Variations in binding of mammalian fibrinogens to streptococci groups A, B, C, E, G and to *Staphylococcus aureus*. *Acta path.microbiol.immunol.scand.Sect.B.* **93**:77-82.
126. **Erntell, M., E. B. Myhre, and G. Kronvall.** 1986. Non-immune F(ab')₂ and Fc-mediated interactions of mammalian immunoglobulins with *S. aureus* and group C and G streptococci. *Acta path.microbiol.immunol.scand.Sect.B.* **94**:377-385.
127. **Erntell, M., E. B. Myhre, and G. Kronvall.** 1986. Two separate non-immune interactions between staphylococcal protein A and immunoglobulins are mediated by structures on gamma chains. *Acta path.microbiol.immunol.scand.Sect.B.* **94**:69-73.

128. **Gedebou, M., G. Kronvall, E. Habte-Gabr, and S. Ringertz.** 1987. The bacteriology of nosocomial infections at Tikur Anbessa Teaching Hospital, Addis Ababa. *Acta path.microbiol.immunol.scand.Sect.B.* **95**:331-336.
129. **Hedström, S. Å., G. Kronvall, and F. Nordbring.** 1987. Erytromycin och övre luftvägsinfektioner. *Läkartidningen* **84**:1434-1435.
130. **Ringertz, S. and G. Kronvall.** 1987. Increased use of erythromycin causes resistance in *Haemophilus influenzae*. *Scand.J.Infect.Dis.* **19**:247-256.
131. **Widebäck, K. and G. Kronvall.** 1987. Isolation of a specific albumin receptor from a group G streptococcal strain. *Acta path.microbiol.immunol.scand.Sect.B.* **95**:203-210.
132. **Berg, O., C. Carenfelt, and G. Kronvall.** 1988. Bacteriology of Maxillary Sinusitis in Relation to Character of Inflammation and Prior Treatment. *Scand.J.Infect.Dis.* **20** :511-516.
133. **Dornbusch, K., G. Kronvall, and E. Göransson.** 1988. Comparative In Vitro Antibacterial Activity and Beta-Lactamase Stability of Cefixime. *Adv.Exp.& Clin.Chemother.* **1** :1-8.
134. **Dornbusch, K., S. Bengtsson, J. E. Brorson, H. Fritz, C. Henning, G. Kronvall, P. Larsson, A. S. Malmberg, M. Thore, A. Tärnvik, and M. Walder.** 1988. Susceptibility to Beta-lactam Antibiotics and Gentamicin of Gram-negative Bacilli Isolated from Hospitalized Patients: A Swedish Multicenter Study. *Scand.J.Infect.Dis.* **20**:641-647.
135. **Erntell, M., U. Sjöbring, E. B. Myhre, and G. Kronvall.** 1988. Non-immune Fab- and Fc mediated interactions of avian Ig with *S. aureus* and group C and G streptococci. *APMIS* **96**:239-249.
136. **Gedebou, M., E. Habte-Gabr, G. Kronvall, and S. Yoseph.** 1988. Hospital-acquired infections among obstetric and gynaecological patients at Tikur Anbessa Hospital, Addis Ababa. *J.Hosp.Inf.* **11**:50-59.
137. **Habte-Gabr, E., M. Gedebou, and G. Kronvall.** 1988. Hospital-acquired infections among surgical patients in Tikur Anbessa Hospital, Addis Ababa, Ethiopia. *Am.J.Infect.Control* **16**:7-13.
138. **Kronvall, G., S. Ringertz, I. Karlsson, E. Göransson, and K. Dornbusch.** 1988. Laboratory- and Species-Specific Interpretive Breakpoints for Disk Diffusion Tests of Chloramphenicol Susceptibility of *Haemophilus influenzae*. *Antimicrobial Agents and Chemotherapy* **32**:1484-1489.

139. **Kronvall, G. and S. Ringertz.** 1988. Standard curve regression analysis. Bestämning av art- och laboratoriespecifika brytpunkter., p. 35-37. *In* A. Forsgren (ed.), Nya aspekter på erythromycin. Report on a workshop on erythromycin. Abbott Scandinavia AB, Stockholm.
140. **Lindahl, G. and G. Kronvall.** 1988. Nonimmune binding of Ig to *Clostridium perfringens*. Preferential Binding of IgM and Aggregated IgG. *J.Immunol.* **140**:1223-1227.
141. **Ringertz, S. and G. Kronvall.** 1988. *Haemophilus influenzae*. Resistensutveckling mot erytromycin i Stockholm., p. 53-56. *In* A. Forsgren (ed.), Nya aspekter på erythromycin. Report on a workshop on erythromycin. Abbott Scandinavia AB, Stockholm.
142. **Ringertz, S. and G. Kronvall.** 1988. On the theory of the disk diffusion test. Evidence for a non-linear relationship between critical concentration and MIC, and its practical implications for susceptibility testing of *Haemophilus influenzae*. *APMIS* **96**:484-490.
143. **Björklind, A., S. Ringertz, and G. Kronvall.** 1989. Types of interpretive errors in susceptibility testing. Zone breakpoints for norfloxacin disk diffusion testing. *APMIS* **97**:941-948.
144. **Dornbusch, K., G. Kronvall, E. Göransson, and E. Mörtzell.** 1989. Comparative in-vitro activity of the penem FCE 22101 against recent European blood culture isolates. *J.Antimicrob.Chemother.Suppl C* **23**:43-52.
145. **Dornbusch, K., G. Kronvall, E. Göransson, and E. Mörtzell.** 1989. In vitro activity of FCE 22101 against respiratory tract pathogens with reference to production of Beta-lactamases. *J.Antimicrob.Chemother.Suppl C* **23**:31-41.
146. **Kronvall, G.** 1989. Historical perspective., p. 1-16. *In* M. D. P. Boyle (ed.), *Bacterial Fc Receptors. Bacterial Immunoglobulin Binding Proteins.* Academic Press, New York.
147. **Ringertz, S., A. Björklind, and G. Kronvall.** 1989. Species-Specific Interpretive Breakpoints for Ciprofloxacin Disk Diffusion Susceptibility Testing. *Scand.J.Infect.Dis.Suppl.* **60**:46-53.
148. **Ullberg, M., G. Kronvall, and B. Wiman.** 1989. New receptor for human plasminogen on gram positive cocci. *APMIS* **97**:996-1002.
149. **Ringertz, S., B. Belleste, I. Karlsson, G. Öhman, M. Gedebou, and G. Kronvall.** 1990. Antibiotic susceptibility of *Escherichia coli* isolates from patients with urinary tract infections in hospitals in Addis Ababa and Stockholm. *Bulletin WHO* **68**:61-68.

150. **Ringertz, S., B. Olsson-Liljequist, and G. Kronvall.** 1990. Antimicrobial susceptibility testing of *Haemophilus influenzae*. Improvement of accuracy of the disc diffusion test. *Journal of Antimicrobial Chemotherapy* **26**:479-489.
151. **Ullberg, M., W. Tewodros, and G. Kronvall.** 1990. Receptors for human plasminogen on the biological response modifier OK-432. *J.Biol.Resp.Modif.* **9**:592-596.
152. **Ullberg, M., G. Kronvall, I. Karlsson, and B. Wiman.** 1990. Receptors for human plasminogen on gram-negative bacteria. *Infect.Immun.* **58**:21-25.
153. **Kronvall, G., S. Ringertz, S. Nyström, M. Rylander, and E. Theodorsson.** 1991. Comparison of 30 µg and 120 µg gentamicin disks for the prediction of gentamicin resistance in *Enterococcus faecalis*. *APMIS* **99**:887-892.
154. **Kronvall, G. and S. Ringertz.** 1991. Antibiotic disk diffusion testing revisited: Single strain regression analysis. Review article. *APMIS* **99**:295-306.
155. **Ringertz, S., M. Rylander, and G. Kronvall.** 1991. Disk diffusion method for susceptibility testing of *Neisseria gonorrhoeae*. *J.Clin.Microbiol.* **29**:1604-1609.
156. **Kuusela, P., M. Ullberg, O. Saksela, and G. Kronvall.** 1992. Tissue-Type Plasminogen Activator-Mediated Activation of Plasminogen on the Surface of Group A, C, and G Streptococci. *Infect.Immun.* **60**:196-201.
157. **Kuusela, P., M. Ullberg, G. Kronvall, and O. Saksela.** 1992. Binding and activation of plasminogen on the surface of *Staphylococcus aureus* and group A, C and G streptococci., p. 153-162. *In* T. K. Korhonen (ed.), *Molecular recognition in host-parasite interactions*. Plenum Press, New York.
158. **Tewodros, W., L. Muhe, E. Daniel, C. Schalén, and G. Kronvall.** 1992. A one-year study of streptococcal infections and their complications among Ethiopian children. *Epidemiol.Infect.* **109**:211-225.
159. **Ullberg, M., P. Kuusela, B. E. Kristiansen, and G. Kronvall.** 1992. Binding of Plasminogen to *Neisseria meningitidis* and *Neisseria gonorrhoeae* and Formation of Surface-Associated Plasmin. *J.Infect.Dis.* **166**:1329-1334.
160. **Ullberg, M., I. Karlsson, B. Wiman, and G. Kronvall.** 1992. Two types of receptors for human plasminogen on group G streptococci. *APMIS* **100**:21-28.

161. **Wu, S. W., K. Dornbusch, M. Norgren, and G. Kronvall.** 1992. Extended spectrum beta-lactamase from *Klebsiella oxytoca*, not belonging to the TEM or SHV family. *J.Antimicrob.Chemother.* **30**:3-16.
162. **Ringertz, S., L. Muhe, I. Krantz, D. Shamebo, L. Freij, S. Wall, and G. Kronvall.** 1993. Prevalence of potential respiratory disease bacteria in children in Ethiopia. Antimicrobial susceptibility of the pathogens and use of antibiotics among the children. *Acta Paediatr.* **82**:843-848.
163. **Tewodros, W. and G. Kronvall.** 1993. Distribution of presumptive pathogenicity factors among beta-hemolytic streptococci isolated from Ethiopian children. *APMIS* **101**:295-305.
164. **Tewodros, W., A. Nordstrand, G. Kronvall, S. Holm, and M. Norgren.** 1993. Streptokinase gene polymorphism in group A streptococci isolated from Ethiopian children in various disease manifestations. *Microbial Pathogenesis* **15**:303-311.
165. **Tewodros, W., A. Nordstrand, G. Kronvall, S. E. Holm, and M. Norgren.** 1994. Profiles of Humoral Immune Response to Erythrogenic Toxins and Streptokinase in Children with Various Streptococcal Diseases., p. 210-211. *In* A. Totolian (ed.), *Pathogenic Streptococci: Present and Future*. Lancer Publications, St Petersburg, Russia.
166. **Tewodros, W., M. Norgren, and G. Kronvall.** 1995. Streptokinase activity among group A streptococci in relation to streptokinase genotype, plasminogen binding, and disease manifestations. *Microbial Pathogenesis* **18**:53-65.
167. **Tewodros, W., I. Karlsson, and G. Kronvall.** 1996. Allelic variation of the streptokinase gene in β -hemolytic streptococci group C and G isolates of human origin. *FEMS Immunology and Medical Microbiology* **13**:29-34.
168. **Ullberg, M., B. Wiman, and G. Kronvall.** 1994. Binding of tissue-type plasminogen activator (t-PA) to *Neisseria meningitidis* and *Haemophilus influenzae*. *FEMS Immunology and Medical Microbiology* **9**:171-178.
169. **Rahal, K., F. Wang, J. Schindler, B. Rowe, B. Cookson, P. Huovinen, A. Marton, MK. Lalitha, N. Semina, G. Kronvall, and M. Guzman.** 1997. Reports on surveillance of antimicrobial resistance in individual countries. *Clinical Infectious Diseases* **24**:S169-S175.
170. **Sjöström, I., H. Gröndahl, G. Falk, G. Kronvall, and M. Ullberg.** 1997. Purification and characterisation of a plasminogen-binding protein from *Haemophilus influenzae*. Sequence determination reveals identity with aspartase. *Biochimica et Biophysica Acta* **1324**:182-190.

171. **Kronvall, G., M. Lannér-Sjöberg, L. V. von Stedingk, H. S. Hanson, B. Pettersson, and E. Falsen.** 1998. Whole-cell protein and partial 16S rRNA gene sequence analysis suggest the existence of a second *Rothia* species. *Clinical Microbiology and Infection* **4**:255-263.
172. **Ringertz, S., B. Olsson-Liljequist, G. Kahlmeter, and G. Kronvall.** 1997. Antimicrobial Susceptibility Testing in Sweden. II. Species-related Zone Diameter Breakpoints to Avoid Interpretive Errors and Guard Against Unrecognized Evolution of Resistance. *Scandinavian Journal of Infectious Diseases Supplement* **105**:8-12.
173. **Sundström, J., C. Agrup, G. Kronvall, and B. Wretling.** 1997. *Pseudomonas aeruginosa* Adherence to External Auditory Canal Epithelium. *Arch Otolaryngol Head Neck Surg* **123**:1287-1292.
174. **Kuusela, P., M. Ullberg, G. Kronvall, T. Tervo, T. Tarkkanen, and O. Saksela.** 1992. Surface-associated activation of plasminogen on gram-positive bacteria. Effect of plasmin on the adherence of *Staphylococcus aureus*. *Acta Ophthalmol* **202**:42-46.
175. **Wu, S. W., K. Dornbusch, E. Göransson, U. Ransjö, and G. Kronvall.** 1991. Characterization of *Klebsiella oxytoca* septicaemia isolates resistant to aztreonam and cefuroxime. *J.Antimicrob.Chemother.* **28**:389-397.
176. **Boyle, M. D. P., Wang, H., Lottenberg, R., Ullberg, M., Kuusela, P., and Kronvall, G.** Evidence for heterogeneity of binding of plasmin(ogen) forms to group A streptococci. *ASM General Meeting 95th ASM, Washington, D.C.[Abstract Book]*, 242. 1990.
Ref Type: Abstract
177. **Kronvall, G.** 1998. Response to Drs Ian Phillips and Anna King. *Clinical Microbiology and Infection* **4**:232.
178. **Eberhard, T., M. Ullberg, I. Sjöström, G. Kronvall, and B. Wiman.** 1995. Enhancement of t-PA-mediated Plasminogen Activation by Bacterial Surface Receptors. *Fibrinolysis* **9**:65-70.
179. **Eberhard, T., R. Virkola, T. K. Korhonen, G. Kronvall, and M. Ullberg.** 1998. Binding to Human Extracellular Matrix by *Neisseria meningitidis*. *Infection & Immunity* **66**:1791-1794.
180. **Hagelberg, A., A. Thalme, and G. Kronvall.** 1985. Utvärdering av biokemiska testkombinationer för artidentifikation av *Enterobacteriaceae* i klinisk mikrobiologi. *Swed.Med.Ass.Annual Meeting* **94**:203.
181. **Eberhard, T., G. Kronvall, and M. Ullberg.** 1999. Surface bound plasmin promotes migration of *Streptococcus pneumoniae* through reconstituted basement membranes. *Microbial Pathogenesis* **26**:175-181.

182. **Lalitha, MK., M. Bäärnhielm, E. Kihlström, and G. Kronvall.** 1999. Epidemiological Typing of *Streptococcus pneumoniae* from various sources in Sweden and India using Box A PCR fingerprinting. *APMIS* **107**:389-394.
183. **Kronvall, G. and K. Jönsson.** 1999. RECEPTINS - A Novel Term for an Expanding Spectrum of Natural and Engineered Microbial Proteins with Binding Properties for Mammalian Proteins. *Journal of Molecular Recognition* **12**:38-44.
184. **Nordstrand, A., W. Tewodros, G. Kronvall, S. E. Holm, and M. Norgren.** 1994. Frequency of Nephritis Associated Streptokinase Gene Classes in Group A Streptococci Isolated from Ethiopian Children with Various Streptococcal Infections., p. 408-409. *In* A. Totolian (ed.), *Pathogenic Streptococci: Present and Future*. Lancer Publications, St Petersburg, Russia.
185. **Kronvall, G.** 1998. Improving the accuracy of disc diffusion antibiotic susceptibility testing using species-related interpretive zone breakpoints. *Indian Journal of Medical Microbiology* **16**:138-142.
186. **Kronvall, G. and E. Holst.** 2000. Calibration of the disk diffusion test for trovafloxacin susceptibility testing of four anaerobic species. *Clinical Microbiology and Infection* **6**:195-201.
187. **Wu, S. W., K. Dornbusch, and G. Kronvall.** 1999. Genetic Characterization of Resistance to Extended-Spectrum β -Lactams in *Klebsiella oxytoca* Isolates Recovered from Patients with Septicemia at Hospitals in the Stockholm Area. *Antimicrobial Agents and Chemotherapy* **43**:1294-1297.
188. **Wu, S. W., K. Dornbusch, G. Kronvall, and M. Norgren.** 1999. Characterization and Nucleotide Sequence of a *Klebsiella oxytoca* Cryptic Plasmid Encoding a CMY-Type β -lactamase: Confirmation that the Plasmid-Mediated Cephamycinase Originated from the *Citrobacter freundii* AmpC β -lactamase. *Antimicrobial Agents and Chemotherapy* **43**:1350-1357.
189. **Lalitha, MK., J. Kenneth, A. K. Jana, M. V. Jesudason, K. A. Kuruvilla, K. Jacobson, and G. Kronvall.** 1999. Identification of an IV-Dextrose solution as the source of an outbreak of *Klebsiella pneumoniae* sepsis in a newborn nursery. *Journal of Hospital Infection* **43**:70-73.
190. **Rylander, M., M. Walder, L. Lind-Brandberg, P. Larsson, E. Törnqvist, T. Monsen, and G. Kronvall.** 1999. Trovafloxacin Susceptibility of Aerobic Clinical Bacterial Isolates from Sweden. *Scandinavian Journal of Infectious Diseases* **31**:567-572.

191. **Kronvall, G., M. Rylander, M. Walder, L. Lind-Brandberg, P. Larsson, E. Törnqvist, and T. Monsen.** 1999. Calibration of Disk Diffusion Antibiotic Susceptibility Testing: Species-related Trovafloxacin Interpretive Zone Breakpoints and Selection of Disk Potency. *Scandinavian Journal of Infectious Diseases* **31**:573-578.
192. **Kronvall, G., H. S. Hanson, L. V. von Stedingk, E. Törnqvist, and E. Falsen.** 2000. Septic arthritis caused by gram-negative bacterium representing a new species related to the *Bordetella-Alcaligenes* complex. *APMIS* **108**:187-194.
193. **Oppenheimer, M., G. Kronvall, I. Karlsson, and E. Holst.** 2000. Fusidic acid disk diffusion testing of *Clostridium difficile* can be calibrated using SRA, single strain regression analysis. *Scandinavian Journal of Infectious Diseases* **32**:633-637.
194. **Kronvall, G.** 2000. MIC determination of fusidic acid and of ciprofloxacin using multidisk diffusion tests. *Clinical Microbiology and Infection* **6**:483-489.
195. **Larsson, M., G. Kronvall, N. T. K. Chuc, I. Karlsson, F. Lager, H. D. Hanh, G. Tomson, and T. Falkenberg.** 2000. Antibiotic medication and bacterial resistance to antibiotics: a survey of children in a Vietnamese community. *Tropical Medicine and International Health* **5**:711-721.
196. **Muhe, L., M. Tilahun, S. Lulseged, S. Kebede, D. Enaro, S. Ringertz, G. Kronvall, S. Gove, and E. K. Mulholland.** 1999. Etiology of pneumonia, sepsis and meningitis in infants younger than three months of age in Ethiopia. *Pediatric Infectious Disease Journal* **18**:S56-S61.
197. **Barnetson, R. S., G. Bjune, J. M. Pearson, and G. Kronvall.** 1976. Cell mediated and humoral immunity in "reversal reactions". *International Journal of Leprosy & Other Mycobacterial Diseases* **44**:267-274.
198. **Sörberg, M., A. Farra, U. Ransjö, B. Gårdlund, M. Rylander, B. Settergren, M. Kalin, and G. Kronvall.** 2003. Different trends in antibiotic resistance rates at a university teaching hospital. *Clinical Microbiology and Infection* **9**:388-396.
199. **Kronvall, G. and I. Karlsson.** 2001. Fluconazole and voriconazole multidisk testing of *Candida* species for disk test calibration and MIC estimation. *Journal of Clinical Microbiology* **39**:1422-1428.
200. **Sörberg, M., A. Farra, U. Ransjö, B. Gårdlund, M. Rylander, L. Wallén, M. Kalin, and G. Kronvall.** 2002. Long term Antibiotic Resistance Surveillance of Gram-negative Pathogens Suggests that Temporal Trends can be Used as a Resistance Warning System. *Scandinavian Journal of Infectious Diseases* **34**:372-378.

201. **Kronvall, G. and A. Hagelberg.** 2002. Numerical evaluation of minimal biochemical test combinations for the identification of *Enterobacteriaceae* species. *APMIS* **110**:451-457.
202. **Myhre, E. B. and Kronvall, G.** High precision of disk tests reveals microheterogeneity of antibiotic susceptibility. *Clinical Microbiology and Infection* 6 Suppl 1, 109-110. 2000.
Ref Type: Abstract
203. **Olsson-Liljequist, B., S. Köljalg, I. Karlsson, and G. Kronvall.** 2002. Calibration of fusidic acid disk diffusion susceptibility testing of *Staphylococcus aureus*. *APMIS* **110**:690-696.
204. **Kronvall, G., G. Kahlmeter, E. Myhre, and M. F. Galas.** 2002. New method for normalized interpretation of antimicrobial resistance from disk test results for surveillance purposes. *Clinical Microbiology and Infection* **8, Suppl. 1**:234.
205. **Farra, A., G. Skoog, L. Wallén, G. Kahlmeter, G. Kronvall, M. Sörberg, and Swebact Study Group.** 2002. Antibiotic Use and Escherichia coli Resistance Trends for Quinolones and Cotrimoxazole in Sweden. *Scandinavian Journal of Infectious Diseases* **34**:449-455.
206. **Kronvall, G., G. Kahlmeter, E. Myhre, and M. F. Galas.** 2003. A new method for normalized interpretation of antimicrobial resistance from disk test results for comparative purposes. *Clinical Microbiology and Infection* **9**:120-132.
207. **Kronvall, G.** 2003. Determination of the real standard distribution of susceptible strains in zone histograms. *International Journal of Antimicrobial Agents* **22**:7-13.
208. **Joneberg, J., M. Rylander, M. F. Galas, C. Carlos, and G. Kronvall.** 2003. Analysis of parameters and validation of method for normalized interpretation of antimicrobial resistance. *International Journal of Antimicrobial Agents* **21**:525-535.
209. **Fendukly, F., I. Karlsson, H. S. Hanson, G. Kronvall, and K. Dornbusch.** 2003. Patterns of mutations in target genes in septicemia isolates of *Escherichia coli* and *Klebsiella pneumoniae* with resistance or reduced susceptibility to ciprofloxacin. *APMIS* **111**:857-866.
210. **Grape, M., A. Farra, G. Kronvall, and L. Sundström.** 2005. Integrons and gene cassettes in clinical isolates of cotrimoxazole-resistant Gram-negative bacteria. *Clinical Microbiology and Infection* **11**:185-192.

211. **Grape, M., L. Sundström, and G. Kronvall.** 2003. New *dfr2* gene as a single gene cassette in a class 1 integron from a trimethoprim resistant *Escherichia coli* isolate. *Microbial Drug Resistance* **9**:317-322.
212. **Cherif, H., G. Kronvall, M. Björkholm, and M. Kalin.** 2003. Bacteraemia in hospitalised patients with malignant blood disorders: a retrospective study of causative agents and their resistance profiles during a 14-year period without antibacterial prophylaxis. *Hematol.J.* **4**:420-426.
213. **Jönsson, K., B. P. Guo, H.-J. Monstein, J. J. Mekalanos, and G. Kronvall.** 2003. Molecular cloning and characterization of two *Helicobacter pylori* genes coding for plasminogen-binding proteins. *Proceeding of the National Academy of Sciences* **101**:1852-1857.
214. **Hedlund, J., M. Sörberg, B. Henriques Normark, and G. Kronvall.** 2003. Capsular Types and Antibiotic Susceptibility of Invasive *Streptococcus pneumoniae* Among Children in Sweden. *Scandinavian Journal of Infectious Diseases* **35**:452-458.
215. **Källman, O., F. Fendukly, I. Karlsson, and G. Kronvall.** 2003. Contribution of efflux to cefuroxime resistance in clinical isolates of *Escherichia coli*. *Scandinavian Journal of Infectious Diseases* **35**:464-470.
216. **Giske, C. G., M. Rylander, and G. Kronvall.** 2003. VIM-4 in a carbapenem-resistant strain of *Pseudomonas aeruginosa* isolated in Sweden. *Antimicrobial Agents and Chemotherapy* **47**:3034-3035.
217. **Sjöström, I., Ullberg, M., Kronvall, G., and Wiman, B.** COMPARISON OF 2 PLASMINOGEN-BINDING PROTEINS PURIFIED FROM DIFFERENT STRAINS OF HAEMOPHILUS-INFLUENZAE. *Thrombosis and Haemostasis* 73[6], 1415. 2004.
Ref Type: Abstract
218. **Mathai, E., M. Grape, and G. Kronvall.** 2004. Integrons and multi drug resistance among *Escherichia coli* causing community acquired urinary tract infection in southern India. *APMIS* **112**:159-164.
219. **Larsson, M., T. Falkenberg, A. Dardashti, T. Ekman, S. Törnquist, N. T. K. Chuc, L. O. Hansson, and G. Kronvall.** 2005. Overprescribing of antibiotics to children in rural Vietnam. *Scandinavian Journal of Infectious Diseases* **37**:442-448.
220. **Sandgren, A., K. Sjöström, B. Olsson-Liljequist, B. Christensson, A. Samuelsson, G. Kronvall, and B. Henriques Normark.** 2004. Effect of Clonal and Serotype-Specific Properties on the Invasive Capacity of *Streptococcus pneumoniae*. *J.Infect.Dis.* **189**:785-796.

221. **Grape, M., L. Sundström, and G. Kronvall.** 2003. Sulfonamide resistance gene *sul3* found in *E. coli* isolates from human sources. *Journal of Antimicrobial Chemotherapy* **52**:1022-1024.
222. **El Amin, N., C. G. Giske, S. Jalal, B. Keijser, G. Kronvall, and B. Wretling.** 2005. Carbapenem-resistance mechanisms in *Pseudomonas aeruginosa*: alterations of porin OprD and efflux proteins do not fully explain resistance patterns observed in clinical isolates. *APMIS* **113**:187-196.
223. **Infante, B., M. Grape, M. Larsson, C. Kristensson, L. Pallecchi, G. M. Rossolini, and G. Kronvall.** 2005. Acquired sulfonamide resistance genes in faecal *Escherichia coli* from healthy children in Bolivia and Perú. *International Journal of Antimicrobial Agents* **25**:308-312.
224. **Paradisi, F., Bartoloni, A., Falkenberg, T., Gotuzzo, E., Gamboa B, H., Vallejos B, Y., Guerra, H., Rossolini, G. M., Kronvall, G., and Antres Working Group.** Evaluation of a Rapid Screening Method for Detection of Antimicrobial Resistance in the Commensal *Escherichia coli* Microbiota. 43rd ICAAC Abstracts [Abstract D-248], 178. 2003.
Ref Type: Abstract
225. **Bartoloni, A., M. Benedetti, L. Pallecchi, M. Larsson, A. Mantella, M. Strohmeier, F. Bartalesi, C. Fernandez, E. Guzman, Y. Vallejos, A. L. Villagran, H. Guerra, E. Gotuzzo, F. Paradisi, T. Falkenberg, G. M. Rossolini, and G. Kronvall.** 2006. Evaluation of a rapid screening method for detection of antimicrobial resistance in the commensal microbiota of the gut. *Transactions of the Royal Society of Tropical Medicine and Hygiene* **100**:119-125.
226. **Grape, M., Greko, C., and Kronvall, G.** Spread of the new *sul3* gene in human and animal *Escherichia coli* in Sweden. *Clinical Microbiology and Infection* 10 Suppl.3, 409. 2004.
Ref Type: Abstract
227. **Tewodros, W. and Kronvall, G.** M protein gene (*emm* type) analysis of group A beta-hemolytic streptococci, GAS, from Ethiopia reveals unique patterns. *Journal of Clinical Microbiology* 43[9], 4369-4376. 2005.
Ref Type: Journal (Full)
228. **Römling, U., A. Kader, D. D. Sriramulu, R. Simm, and G. Kronvall.** 2005. World-wide distribution of *Pseudomonas aeruginosa* clone C strains in the aquatic environment and cystic fibrosis patients. *Environmental Microbiology* **7**:1029-1038.

229. **Pallecchi, L., M. Malossi, A. Mantella, E. Gotuzzo, C. Trigoso, A. Bartoloni, F. Paradisi, G. Kronvall, and G. M. Rossolini.** 2004. Detection of CTX-M-Type {beta}-Lactamase Genes in Fecal *Escherichia coli* Isolates from Healthy Children in Bolivia and Peru. *Antimicrobial Agents and Chemotherapy* **48**:4556-4561.
230. **Giske, C. G., C. Borén, B. Wretling, and G. Kronvall.** 2005. Meropenem susceptibility breakpoint for *Pseudomonas aeruginosa*: strains hyperproducing *mexB* mRNA. *Clinical Microbiology and Infection* **11**:662-669.
231. **Ullberg, M., G. Kronvall, B. Wiman, and P. Kuusela.** 1994. Receptors for Plasminogen and Plasmin on Gram Positive and Gram Negative Bacteria., p. 91-96. *In* T. Wadström, I. A. Holder, and G. Kronvall (eds.), *Molecular Pathogenesis of Surgical Infections*. Gustav Fischer Verlag, Stuttgart.
232. **Kuusela, P., S. S. Kaukoranta-Tolvanen, M. Ullberg, G. Kronvall, and O. Saksela.** 1994. Surface Associated Activation of Plasminogen on Staphylococci and Streptococci. A Novel Mechanism for Bacteria to use the Activator Ssystem of a Host, p. 97-102. *In* T. Wadström, I. A. Holder, and G. Kronvall (eds.), *Molecular Pathogenesis of Surgical Infections*. Gustav Fischer Verlag, Stuttgart.
233. **Turnidge, J., G. Kahlmeter, and G. Kronvall.** 2006. Statistical characterisation of bacterial wild type distributions of MIC-values and the determination of epidemiological cut-off values. *Clinical Microbiology and Infection* **12**:418-425.
234. **Kronvall, G., M. Larsson, C. Borén, G. Kahlmeter, A. Bartoloni, G. M. Rossolini, M. Grape, C. Kristiansson, and I. Karlsson.** 2005. Extended antimicrobial resistance screening of the dominant faecal *Escherichia coli* and of rare resistant clones. *International Journal of Antimicrobial Agents* **26**:473-478.
235. **Abdissa, A., Asrat, D., Kronvall, G., Shittu, B., Achiko, D., Zeidan, M., Yamuah, L. K., and Aseffa, A.** High diversity of group A streptococcal *emm* types among healthy schoolchildren in Ethiopia. *Clinical Infectious Diseases* 42[10], 1362-1367. 2006.
Ref Type: Journal (Full)
236. **Kronvall, G., I. Karlsson, M. Walder, M. Sörberg, and L. E. Nilsson.** 2006. Epidemiological MIC cut-off values for tigecycline calculated from Etest MIC values using normalized resistance interpretation. *Journal of Antimicrobial Chemotherapy* **57**: 498-505.

237. **Grape, M., Kristiansson, C., Bartoloni, A., Gotuzzo, E., and Kronvall, G.** Rapid Resistance Screening Method for Detection of Resistance Markers in Dominant Flora and Rare Clones of Faecal Samples. ICAAC 2005 . 2005.
Ref Type: Abstract
238. **Bartoloni, A., Pallecchi, Lucia, Benedetti, M., Fernandez, C., Vallejos, Y., Guzman, E., Villagran, A. L., Mantella, A., Lucchetti, C, Bartalesi, F., Strohmeyer, M., Bechini, A, Gamboa, H, Rodríguez, H, Falkenberg, T., Kronvall, G., Gotuzzo, E., Paradisi, F., and Rossolini, G. M.** Multidrug-resistant Commensal *Escherichia coli* in Children, Peru and Bolivia. Emerging Infectious Diseases 12[6], 907-913. 2006.
Ref Type: Journal (Full)
239. **Giske, C. G., B. Libisch, C. Colinon, E. Scoulica, L. Pagani, M. Fuzi, G. Kronvall, and G. M. Rossolini.** 2006. Establishing clonal relationships between VIM-1-like metallo-beta-lactamase-producing *Pseudomonas aeruginosa* strains from four European countries by multilocus sequence typing. J.Clin.Microbiol. **44**: 4309-4315.
240. **Grape, M., L. Sundström, and G. Kronvall.** 2007. Two new *dfr* genes in trimethoprim-resistant integron-negative *Escherichia coli*. Antimicrob.Agents Chemother. **51**: 1863-1864.
241. **Kronvall, G. and P. Larsson.** 2007. Clinical bacteriology - the recent past. APMIS **115**: 394-400.
242. **Forsum, U. and G. Kronvall.** 2007. Clinical Microbiology informatics - developments in Sweden. APMIS **115**: 415-421.
243. **Kronvall, G.** 2007. COMMENTARY. APMIS **115**: 619-620.
244. **Smith, P., Ruane, N. M., Douglas, I., Carroll, C., Kronvall, G., and Fleming, G. T. A.** 2007. Impact of inter-lab variation on the estimation of epidemiological cut-off values for disc diffusion susceptibility test data for *Aeromonas salmonicida*. Aquaculture **272**: 168-179.
245. **Pallecchi, L., A. Bartoloni, C. Fiorelli, A. Mantella, M. T. Di, H. Gamboa, E. Gotuzzo, G. Kronvall, F. Paradisi, and G. M. Rossolini.** 2007. Rapid dissemination and diversity of CTX-M extended-spectrum beta-lactamase genes in commensal *Escherichia coli* isolates from healthy children from low-resource settings in Latin America. Antimicrob.Agents Chemother. **51**:2720-2725.

246. **Bartoloni,A., L.Pallecchi, C.Fiorelli, M.T.Di, C.Fernandez, A.L.Villagran, A.Mantella, F.Bartalesi, M.Strohmeyer, A.Bechini, H.Gamboa, H.Rodriguez, C.Kristiansson, G.Kronvall, E.Gotuzzo, F.Paradisi, and G.M.Rossolini.** 2008. Increasing Resistance in Commensal *Escherichia coli*, Bolivia and Peru. *Emerg.Infect Dis.* **14**:338-340.
247. **Claesson,C., L.E.Nilsson, G.Kronvall, M.Walder, and M.Sörberg.** 2009. Antimicrobial activity of tigecycline and comparative agents against clinical isolates of staphylococci and enterococci from ICUs and general hospital wards at three Swedish university hospitals. *Scand.J Infect.Dis.* **41**:171-181.
248. **Kristiansson,C., M.Grape, E.Gotuzzo, F.Samalvides, J.Chauca, M.Larsson, A.Bartoloni, L.Pallecchi, G.Kronvall, and M.Petzold.** 2009. Socioeconomic factors and antibiotic use in relation to antimicrobial resistance in the Amazonian area of Peru. *Scand.J Infect.Dis.* **41**:303-312.
249. **Kronvall, G. and C. G. Giske.** 2009. ["The wolf" is already here. Recent data in Stockholm shows increasing antibiotic resistance]. *Läkartidningen* **106**:3160-3161.
250. **Kronvall, G.** 2010. Antimicrobial resistance 1979–2009 at Karolinska hospital, Sweden: normalized resistance interpretation during a 30-year follow-up on *Staphylococcus aureus* and *Escherichia coli* resistance development. *APMIS* **118**:621-639.
251. **Bartoloni, A., Benedetti, M., Pallecchi, L., Larsson, M., Mantella, A., Strohmeyer, M., Bartalesi, F., Fernandez, C., Guzman, E., Vallejos, Y., Villagran, A. L., Guerra, H., Gotuzzo, E., Paradisi, F., Falkenberg, T., Rossolini, G. M., and Kronvall, G.** 2005. Detection of antimicrobial resistance in low-income countries: Evaluation of a rapid screening method. Abstract P321. *Italian Journal of Tropical Medicine* 10[3-4], 164-165.
252. **Kronvall, G.** 2010. Normalised Resistance Interpretation, NRI, as a tool for establishing epidemiological MIC susceptibility breakpoints. *Journal of Clinical Microbiology* **48**: 4445-4452.
253. **Resman, F., M. Ristovski, J. Ahl, A. Forsgren, J. Gilsdorf, A. Jasir, B. Kaijser, G. Kronvall, and K. Riesbeck.** 2011. Invasive disease caused by *Haemophilus influenzae* in Sweden 1997-2009; evidence of increasing incidence and clinical burden of non-type b strains. *Clin.Microbiol.Infect.* **17**:1638-1645.

254. **Kronvall, G.** 2010. *Antigen-antibody reactions in gels*. Ouchterlony Ö, p. 138-139. In J. Lindsten, O. Hagelin, T. Jansson, and G. Johansson (eds.), 114 Important Scientific Contributions from KAROLINSKA INSTITUTET. Hagströmerbiblioteket, Karolinska Institutet, Solna, Sweden.
255. **Kronvall, G., C.G.Giske, and G.Kahlmeter.** 2011. Setting interpretive breakpoints for antimicrobial susceptibility testing using disk diffusion. *International Journal of Antimicrobial Agents* **38**:281-290.
256. **Kronvall, G., C.G.Giske, and G.Kahlmeter.** 2011. On-line supplement to: Setting interpretive breakpoints for antimicrobial susceptibility testing using disk diffusion. Appendix A: Supplemental Material. *International Journal of Antimicrobial Agents* **38**:281-290.
257. **Abdissa, A., Asrat, D., Kronvall, G., Shitu, B., Achiko, D., Zeidan, M., Yamuah, L. K., and Aseffa, A.** 2011. Throat carriage rate and antimicrobial susceptibility pattern of group A streptococci (GAS) in healthy Ethiopian school children. *Ethiopian Medical Journal* **149**: 125-130.
258. **Bartoloni, A., L.Pallecchi, C.Fiorelli, T.Di Maggio, C.Fernandez, Y.Vallejos, E.Guzman, A.Villagran, A.Mantella, F.Bartalesi, M.Strohmeyer, A.Bechini, H.Gamboa, H.Rodriguez, T.Falkenberg, G.Kronvall, E.Gotuzzo, F.Paradisi, and G.Rossolini.** 2007. Increasing resistance to quinolones and expanded-spectrum cephalosporins in commensal *Escherichia coli* from children living in urban areas of Latin America: a report from the ANTRES research project. Abstract O358. *International Journal of Antimicrobial Agents* **29**:S75.
259. **Lee, D.C., H.J.Han, S.Y.Choi, G.Kronvall, C.I.Park, and D.H.Kim.** 2012. Antibigrams and the estimation of epidemiological cut off values for *Vibrio ichthyenteri* isolated from larval olive flounder, *Paralichthys olivaceus*. *Aquaculture* **342-343**: 31-35.
260. **Resman, F, M.Ristovski, A.Forsgren, B.Kaijser, G.Kronvall, P.Medstrand, E.Melander, I.Odenholt, and K.Riesbeck.** 2012. Increase of beta-Lactam-Resistant Invasive *Haemophilus influenzae* in Sweden, 1997 to 2010. *Antimicrob.Agents Chemother.* **56**: 4408-4415.
261. **Berggren M, G.Nilsson, G.Kronvall, and A.Josephson.** 2012. E-learning - evaluation of a diagnostic decision support system in undergraduate medical training. *Bio-Algorithms and Med-Systems* **8**: 287-305.

262. **Henriques-Nuñez,H., O.Evrard, G.Kronvall, and R.Avendaño-Herrera.** 2012. Antimicrobial susceptibility and plasmid profiles of *Flavobacterium psychrophilum* strains isolated in Chile. *Aquaculture* **354-355**: 38-44.
263. **Poblete-Morales,M., R.Irgang, H.Henriquez-Nuñez, A.E.Toranzo, G.Kronvall, and R.Avendaño-Herrera.** 2013. *Vibrio ordalii* antimicrobial susceptibility testing--modified culture conditions required and laboratory-specific epidemiological cut-off values. *Vet.Microbiol.* **165**: 434-442.
264. **Smith P, Kronvall G.** 2014. Estimating the precision of disc diffusion antibiotic susceptibility data published by the European committee on antimicrobial susceptibility testing. *APMIS* **122**: 1096-1101.
265. **Smith P, Kronvall G.** 2015. Effect of incubation temperature and time on the precision of data generated by antibiotic disc diffusion assays. *J Fish. Dis* **38**: 629-636.
266. **Smith P, Endris R, Kronvall G, Thomas V, Verner-Jeffreys D, Wilhelm C, Dalsgaard I.** 2014. Epidemiological cut-off values for *Flavobacterium psychrophilum* MIC data generated by a standard test protocol. *J Fish. Dis.* **3**: 143-154.
267. **Sturegård E, Ängeby KA, Werngren J, Juréen P, Kronvall G, Giske CG, Kahlmeter G, Schön T.** 2015. Little difference between minimum inhibitory concentrations of *Mycobacterium tuberculosis* wild-type organisms determined with BACTEC MGIT 960 and Middlebrook 7H10. *Clin. Microbiol. Infect.* **21**: 148-150.
268. **Dias D, Torres RT, Kronvall G, Fonseca C, Mendo S, Caetano T.** 2015. Assessment of antibiotic resistance of *Escherichia coli* isolates and screening of *Salmonella* spp. in wild ungulates from Portugal. *Res. Microbiol.* **166**: 584-593.
269. **Smith P, Kronvall G.** 2015. How many strains are required to set an epidemiological cut-off value for MIC values determined for bacteria isolated from aquatic animals? *Aquaculture International* **23**: 465-470.
270. **Kronvall G, Smith P.** 2016. Normalized resistance interpretation, the NRI method. Review of NRI disc test applications and guide to calculations. *APMIS* **124**: 1023-1030.
271. **Callens B, Dewulf J, Kronvall G, Catry B, Haesebrouck F, Boyen F.** 2016. Antimicrobial resistance surveillance in *Escherichia coli* by using normalized resistance interpretation. *Veterinary Microbiology* **197**:1-7.
272. **Smith P, Finnegan W, Ngo T, Kronvall G.** 2018. Influence of incubation temperature and time on the precision of MIC and disc diffusion antimicrobial susceptibility test data. *Aquaculture* **490**:19-24.

- 273. **Kronvall G, Baron S, Larvor E, Rudas-Villarreal C, Hobson J, Smith P.** 2019. Single strain Regression Analysis evaluating disc potencies of flumequine and enrofloxacin for testing *Aeromonas sobria* and *Vibrio anguillarum*. APMIS 127:570-576.
- 274. **Kronvall G, Nordenfelt E.** 2020. Svenske forskarpionjären bakom upptäckten av corona-virus hos människa. Läkartidningen 117(40):1249-1250.
- 275.. **Wollheim FA, Kronvall G.** 2020. Ralph C Williams Jr and the world of rheumatology: a tribute from Sweden. Annals of Rheumatic Diseases. 79: 1525-1531.
- 276. **Kronvall G, Nordenfelt E.** 2021. On the history of human coronaviruses. APMIS 129: 381-383.